

elipson® | Classic **SUB 12**

CAISSON DE BASSE ACTIF - BASS REFLEX



Le Elipson Classic Sub 12 couronne la gamme avec autorité.

Véritable centrale d'énergie, ce caisson est doté d'un haut-parleur massif de 30 cm et d'une amplification musclée de 300 W.

Conçu pour les grands espaces et les amateurs de sensations fortes, il délivre des infra-graves profonds et une pression acoustique impressionnante. Que ce soit pour explorer les abysses d'une bande-son de film ou pour donner une assise monumentale à votre musique, le Classic Sub 12 est le choix sans compromis pour ceux qui veulent ressentir chaque vibration





TECHNIQUE

Type

Caisson de basse actif
Bass reflex

Puissance de sortie

300 W Class D

Haut-parleur

300 mm membrane fibre de verre

Réponse en fréquence (±3dB)

25 - 160 Hz

Filtre subsonique

23 Hz / 12 dB / oct

Fréquence de coupure variable

40 - 160 Hz

Boost

+6 dB @ 33 Hz

Phase

0° / 180°

Veille

Automatique

Entrées

Ligne L/R (bas niveau)

Sortie

Ligne L/R (bas niveau)

DIMENSIONS POIDS

Dimensions sans grille

L356 x H422 x P470 mm

Poids

20,4 kg

Dimensions avec grille

L356 x H422 x P486 mm

PACKAGING

Dimensions packaging

L468 x H605 x P530 mm

Poids brut

23,6 kg

FINITIONS - CODES PRODUITS



Finition

Noir

SKU

ELICLASUB12BK

EAN

3700795194829

elipson® | Classic **SUB 12**

POWERED SUBWOOFER - BASS REFLEX LOAD



The Elipson Classic Sub 12 crowns the range with authority.

A veritable powerhouse, this subwoofer features a massive 12" driver and powerful 300 W amplification.

Designed for large spaces and thrill seekers, it delivers deep sub-bass and impressive sound pressure. Whether you want to explore the depths of a film soundtrack or give your music a monumental foundation, the Classic Sub 12 is the uncompromising choice for those who want to feel every vibration.





TECHNICAL

Type Powered subwoofer Bass reflex load	Boost +6 dB @ 33 Hz
Output power 300 W Class D	Phase 0° / 180°
Drive unit 12" Glass fibre cone	Stand-by Auto
Frequency response (±3dB) 25 - 160 Hz	Inputs Stereo line (low level)
Subsonic filter 23 Hz / 12 dB / oct	Output Stereo line (low level)
Variable cut-off frequency 40 - 160 Hz	

DIMENSIONS
WEIGHTS

Dimensions without grille W356 x H422 x D470 mm	Weight 20,4 kg
Dimensions with grille W356 x H422 x D486 mm	

PACKAGING

Packaging dimensions W468 x H605 x D530 mm	Gross weight 23,6 kg
--	--------------------------------

FINISHES
-
PRODUCTS
CODES



Finish Black	SKU ELICLASUB12BK	EAN 3700795194829
------------------------	-----------------------------	-----------------------------